





From The Desks of **The Managing Director**

It is a pleasure to welcome you to Gulf Rubber Factory (GRF). We hope that our company profile serves to bring us together and allows us the opportunity to share our expertise, for the betterment of your organization. We recognize that our mission is to continuously develop our economy and promote home grown talent. One of the greatest challenges is our principled stand on making technology deliver optimum results, even while assuring our customers and end-users of our compliance with environmental regulations. We are certain that our association will go a long way in our quest to build a stronger and business-friendly Bahrain.

It is my privilege to address our clients, shareholders and employees through this corporate initiative, intended to inform and introduce our values and objectives that make us committed to our promise.

GRF has evolved from humble beginnings and hence it is imperative that we acknowledge the hard work and perseverance that prevails in every project that reiterates our quality policy statement. From 2000 to date, we are a proud participant in generating employment opportunities and thereby contributing to building of Bahrain's economy.

Our quest is to achieve our vision for the future through our association with prominent clients and I am quite certain that GRF, with its sound foundations, highly motivated management and dedicated personnel will help us achieve our strive for excellence. I commend my team and all our business associates, who have vested their faith in us. I look forward to a partnership that will spell success for our clients, now and in the near future.







About **Gulf Rubber Factory**

"Where Champions are Made"

Gulf Rubber Factory (GRF) established in 2000 is an experience manufacturer of cast in–situ rubber flooring, rubber tiles, and customized sports rubber flooring which provides a soft, safe and non–slippery surface with a variety of colors and designs as per requirement. It is a maintenance free and durable surface. Today we are one of the leading Rubber Flooring Manufacturers in the Middle East. GRF is on an expansion phase that will see us taking on projects in the GCC and Globally. Our factory occupies a total area of 4,500 square meters.

GRF focuses on product and process innovations in a challenging business environment and ever-changing market conditions. As a matter of fact, GRF is perhaps one of the few Manufacturer firms to have a customer-centric Quality Policy Statement and conforms with it on every project that it is undertaken. In acknowledgement of its commitment to quality.

GRF posses state of the art equipment and our skills workers are trained to ensure the best quality product. All our processes are subject to high international standards, which enable us to compete and market both at home and abroad. Our product meets' EN1177 and BS7188 European standards.





Untitled-1.indd 3 7/8/15 5:20 PM



Vision

To build long-term partnerships with our customers and the communities in which we operate, providing them with outstanding creativity and added value in order to be the first choice in the industry at local, regional and global levels.

Mission

"OUR COMMITMENTS"

Our Customers: We are at their unconditional disposal and will strive to maximize the value and quality of products combined with superior Customer Service.

Employees: We will treat one another fairly, with respect and support the overall Company and Group operations through co-operation, product training and education in order to provide a safe and healthy work environment.

Suppliers: We will emphasize fair competition and maximize participation with innovative suppliers who consistently provide quality that meets specifications, competitive pricing and on-time delivery performance.

Stakeholders: We will pursue our growth and earnings objectives while maintaining ethical standards at the forefront of our activities.

Local Community Commitment: We will act responsibly and sensitively towards the diverse Communities, wherever we are situated and act as environmentally conscious individuals and Company.

Values

We believe in recognizing the priority of client's needs, be it an individual or a corporate body. We serve the interests of our clients to the best of our abilities.

We strive to maintain our service quality by teaming up with qualified personnel and fostering an environment conducive to growth and achievement of every individual's career objective.

Key Strengths & Capabilities

Commitment to service and quality is at the centre of GRF's corporate philosophy. It is this spirit of dedication that helps us perform and deliver on projects, to the most exacting standards. Projects that identify and meet our client's needs to perfection. In this era of competitiveness and unrelenting pressures of time and financial restraints, GRF has performed admirably, using its leading edge equipment and technology to its advantage. Gaining respect and rewards from a customer base that includes the front liners in industry.

GRF believes in going that extra mile to achieve its objectives. Proactive thinking and implementing advances in technology, to the benefit our clients. GRF unconditionally stands by its clients, because, at the end of the day, satisfaction is what we seek and growth is often bestowed upon those who strive for excellence.

Untitled-1.indd 4 7/8/15 5:20 PM





Wetpour is rubber flooring (direct lay) that comprises of 1-4 mm rubber granules and polyurethane binders. It comprises of two layers - the lower layer is coarse granules made from recycled tyres (SBR) and the top layer is TPV rubber granule. The top layer gives the surface a fine even texture and comes in attractive colors and standard thickness from 10 mm to 110 mm to make the surface visually appealing as well. Wetpour is a fast draining surface and impact absorbing surface is capable of offering credible safety during a fall thereby minimizing playground injuries.

Critical Fall Height Vs

Impact Matting Thickness (BS7188)

Matting Thickness	Fall Height
 25 mm	0.7 m
30 mm	0.8 m
40 mm	1.1 m
45 mm	1.3 m
50 mm	1.4 m
55 mm	1.5 m
60 mm	1.8 m
70 mm	2.1 m
75 mm	2.1m
80 mm	2.3 m
85 mm	2.5 m
90 mm	2.7 m
110 mm	3.2 m

Untitled-1.indd 5 7/8/15 5:20 PM



RUBBER TILES


RUBBER TILES

All product meets' BS7188 and N1177 European standards and American standard ASTM F1293-13 Surface thickness requirements depend on the critical fall height (CFH)





Rubber tiles Rubber flooring is extremely tough and reliable making it an excellent choice for places with high foot traffic. Our tiles are Square, Brick, Hexagon, Dog Bone & Interlock design, standard thickness from 12 mm to 50 mm which can be laid in a specific ways. Rubber tiles are made of two layers SBR (recycle tyres) & top layer TPV, with an advanced chemistry and over 24 standard colors, TPV is the perfect rubber granule for anyone who designs indoor or outdoor sports and play surfaces. From architects to installers, TPV will more than meet the requirements of any specifier; it will exceed your expectations by far.





Surface Thickness- 12mm to 50mm



Untitled-1.indd 6 7/8/15 5:20 PM



RUNNING TRACK



The rubberized artificial running track is one of the most widely used sporting equipment in the world. This surface offers a reliable traction irrespective of the weather conditions. The running track maintains a good balance between the dynamic response required to keep the runners stable and quality cushioning effect for appropriate safety. The synthetic running tracks are widely used in various professional sporting events, practice tracks as well, school events, etc.

Polytan (Spray Coating) Type: Spraycoated surface

Properties: Special competition version available, high wear resistance

Water permeable: Yes Thickness: 10-20 mm Colour: Red & Green

Application: School, amateur and professional level, running tracks and all weather pitches

Surface: Rough, granular sturctured surface, also for the use of spikes

Super Structure: 2 layers

1. Basic layer: rubber granulates

2. Top layer: spray coated

Category: Allround + competition, IAAF CLASS 1

Untitled-1.indd 7 7/8/15 5:20 PM

GULF RUBBER

Specification Data Sheet

TPV — Coloured granulate designed and manufactured by UK based company and is the alternative to the granules presently available for the use in impact absorbing rubberised sports surfaces. The material is produced using a high quality virgin polymer virgin polymer. The product has been formulated without the incorporation of sulphur, clay filler, heavy metals such as Zinc and Phthalate plasticizers. Contrary to popular beleif, being a vulcanised thermoplastic material does not mean that TPV will leach out harmful sulphurs or proxides into the environment. Unlike TPE's the volcanisation proposess ensures that the granule will continue to perform in all weather extremes. It is ideal for use all over the world irrespective of weather copnditions and temperatures. TPV offers (24) colour consistency from bag to bag.

SBR base layer – Recycal rubber crumbs (Dust free)

Flexilon Binder — Is a solvent-free, single component, moisture-curing binder based on polyether polyols. Flexilon is MDI based, contains no volatile monomer and is TDI free. Is a very slow curing for use in warm climates, on warm substrate or where slow curing or a very long open time is a particular requirement.

Flexilon is used as a binder in the in-situ installation of athletic tracks, rubber shock pads under artificial grass and safety surface using rubber reclaimed from tyres.

Our product meets' **EN1177 and BS7188** European standards.





Untitled-1.indd 8 7/8/15 5:20 PM

GULF RUBBER

Application

Children's Play Area — We are more focus on Children's play area's Safety Surfaces, we provide a colorful and attractive surface which is also maintenance free. The all–weather resistant surface provides a soft durable surface specially designed with child safety in mind.

Children's Nurseries — Safety Surfaces around the play area eliminate the presence of harmful buried debris, muddy conditions and most importantly, protects your children from cuts, scrapes and broken bones.

Swimming Pools — The attractive, environmentally friendly rubber surfaces are excellent around swimming pools, hot tubs and garden ponds. Tiles provide a soft, non-slip area in a variety of colors.

Game Courts

Gymnasiums

Hourse Stables

Paths & Walkways

Advantages

- ✓ Prevents children from falling down dangers.
- ✓ Environment Friendly.
- ✓ Anti Slip.
- ✓ Available in various colors (Green, Red, Black, Yellow, Blue, etc.)
- ✓ Easy to keep clean and hygienic with simple tools.
- ✓ A heavy-duty production.
- ✓ Resistant to heat, cold, water & sun.
- ✓ Maintain its colors.







Prince Khalifa Park



King Faisal University - Kingdom of Saudi Arabia



Untitled-1.indd 10 7/8/15 5:20 PM



Gulf Rubber Factory مصنۂ الخلیج للمطاط

Major Projects

Fontana Towers



Hawar International School



Untitled-1.indd 11 7/8/15 5:20 PM





Shireefa Al Awadhi Club












Untitled-1.indd 12 7/8/15 5:20 PM





Bahrain National Stadium











Untitled-1.indd 13 7/8/15 5:21 PM





Al Amal Centre











Untitled-1.indd 14 7/8/15 5:21 PM



Gulf Rubber Factory مصنع الخليج للمطاط

Major Projects

Holiday Villa Hotel





















Gulf Rubber Factory

P.O. BOX 33310, Manama, Kingdom of Bahrain. Tel: +973 17 676868 | Fax: +973 17 670505

E-mail: info@gulfrubber-bh.com Website: www.gulfrubber-bh.com

TIONE FOR DE